

1996

PVN-CAT-128-AR-020-002-USHD

Marne Ausec
Kenyon College

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

Recommended Citation

Ausec, Marne, "PVN-CAT-128-AR-020-002-USHD" (1996). *Four Valleys Archive*. Paper 30806.
<https://digital.kenyon.edu/honduras/30806>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE NACO
CATALOG FORM

DATE: LOT NUMBER: 128AR/20
SUBSTANCE: Ceramic OBJECT: Sherd Disk - Worked sherd - Used sherd
CATALOG #: 128AR/20-2 MULTIPLES? DRAWN BY: CATALOGED BY:

PASTE GROUP: CENSER FORM CODE: EXCAVATOR:

HGT/LENGTH: 7-2cm WIDTH: 3.6cm THICKNESS: 1.0cm DIAMETER:

VERBAL DESCRIPTION:

This is an intact - broken sherd disk - pierced sherd disk - worked sherd - used sherd.

It is made from a gray clay vessel (name the type-variety if possible).

If broken, the estimated amount preserved is:

It is circular - slightly off round - oval - square - rectangular - irregularly shaped (describe).

If circular, the diameter is - is not measurable. Diameter = cm; % preserved.

The shape was - was not inscribed/incised/cut into the interior - exterior - either surface - can't tell.

The basic method of shaping appears to be breaking - chipping - grinding.

The edge is - is not smooth all over - in some areas.

If smooth, it appears to be so due to deliberate finishing - use wear - both.

The intersection of edge and interior is unused - worn in places - worn all over.

The intersection of edge and exterior is unused - worn in places - worn all over.

There is - is not a hole drilled in the item.

If not, is there any sign of piercing/drilling?

If yes, the hole is drilled from one side only - biconically drilled.

The hole's interior diameter is cm.

The maximum width of the piercing is cm on the interior surface and cm on the exterior.

Burning or sooting: yes - no. If yes, describe location and extent.

Firing core is absent - central - interiorly shifted - present only in thickest parts.

Not drawn - Drawn. The piece is - not - slightly - moderately - very - extremely - eroded.

Any other information about use, wear, or anything else:

Str. 41 TD

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WATER RESOURCES DIVISION



WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION

WATER RESOURCES DIVISION



WATER RESOURCES DIVISION